

---

## Statistics in Practice Forensic Science

Dr. David Lucy

d.lucy@lancaster.ac.uk

Lancaster University

Statistics in Practice – p.1/19

---

## Forensic Science

Criminal evidence becoming increasingly “scientific”.

- Greater use of trace evidence (paint/glass/fibres).
- DNA revolution.

The rise of DNA was coincident with a greater awareness on the part of courts that observations are subject to uncertainty.

Statistics in Practice – p.2/19

---

## Forensic Science

Greater realisation that uncertainty is important has led to:

- Trace evidence (glass/paint/fibres) being treated statistically.
- More evidence types:
  - common observations - shoe types - facial features - all being treated with some form of statistical method.
  - observation of co-occurrence of treatment in cases where carers are suspected of harming their charges.

Statistics in Practice – p.3/19

---

## Forensic Consultancies

Typically:

- Police.
- Customs and Excise.
- Criminal Defense lawyers.

Start with an approach by one of the above.

- Usually concludes with the submission of a statistical report.
- Rarely concludes with a court appearance.

Statistics in Practice – p.4/19

## Case work - Tinley

The facts were:

- Evening of 9th April 2004 Andrew Tinley was assaulted by his partner Sally Rose.
- He picked up a champagne bottle and struck her on the head.
- **Rose died at the scene of the incident.**

Statistics in Practice - p.5/19

## Case work - Tinley

Under interrogation:


- Tinley said he had struck Rose twice with the bottle.
- The pathologist could find no evidence for two strikes.

A double blow is more incriminating than a single - obviously of interest to the court

**The question was: what is the probability of administering two blows with a champagne bottle and leaving only a single wound?**

Statistics in Practice - p.6/19

## Case work - Tinley



If:

1.  $r_1$  is the radius head.
2.  $r_2$  is the radius of the area of the wound.
3.  $r_3$  is the radius of the area of the implement.

Statistics in Practice - p.7/19

## Case work - Tinley

$$Pr = \frac{2\pi(r_2 - r_3)^2}{2\pi(r_1 - r_3)^2}$$

Given the values for  $r$  in the pathologists report gives a probability of about 8%.

- **Only a guide for the court.**
- Could spend a lot of time working out a more exact value.
- **Limits of knowledge given by Tinley's account.**

Statistics in Practice - p.8/19

## Firearm rifling patterns

---

Two firearms offenses committed in “a town”

- The first incident was the shooting of a man in “the Town” in June 2000.
- The second was a shooting of a man in “the Town” in March 2003.

Both incidents featured a 0.32 calibre revolver with a 5-right rifling pattern.

What is the evidential value of the “match”?

Statistics in Practice – p.9/19

## 5-right 0.32 calibre

---



Statistics in Practice – p.10/19

## Firearm rifling patterns

---

A suspect had been located.

- That suspect was been found to possess a firearm with a five-right rifling pattern.

Start with two propositions

1.  $H_p$  is that two firearms offences employed the same weapon, and that weapon is that found in the possession of the suspect.
2.  $H_d$  is that the firearms used in the two offences were different weapons to that of the suspect.

Statistics in Practice – p.11/19

## Likelihood ratios

---

A standard measure of evidential value is a likelihood ratio

Let:

- $E \equiv$  the firearm used was of calibre 0.32 and rifling pattern 5 right.

Then:

$$LR = \frac{\Pr(E|H_p, I)}{\Pr(E|H_d, I)}$$

where  $I \equiv$  a firearm has been used in the commission of the offences.

Statistics in Practice – p.12/19

## Numerator

---

The numerator is:  $\Pr(E|H_p, I)$ .

- What is the probability of observing 5-right, 0.32 calibre, were the firearm used that of the suspect.
- The suspect has only one firearm.
- Some other individual may have used the suspect's firearm - should be from defence case if so.

The probability is quite high  $\approx 1$

Statistics in Practice – p.13/19

## Denominator

---

- From data supplied of observations from a suitable sample of weapons recovered
- There are 716 illegal firearms known to the firearms intelligence branch
- 4 were revolvers with right handed rifling of 5 grooves, and were of 0.32 calibre.

The likelihood ratio is  $716/4 = 179$

Statistics in Practice – p.15/19

## Denominator

---

The denominator is:  $\Pr(E|H_d, I)$ .

- What is the probability of observing 5-right, 0.32 calibre, were the firearm used some other firearm other than that of the suspect.
- This is proportional to the frequency of 5-right, 0.32 calibre, firearms from the population of illegally held firearms.

Need for data - supplied by investigators.

Statistics in Practice – p.14/19

## Likelihood ratio

---

The likelihood ratio is  $716/4 = 179$  can be interpreted:

The observation of 0.32 calibre, and 5-right rifling, is 179 more likely were the weapon used in these offences that of the suspect rather than any other weapon from the population of illicit firearms.

This does not take into account the fact that there were two scenes - should it be  $179^2$ .

Should I have done so? - some disquiet about using the higher figure.

Statistics in Practice – p.16/19

## How incriminating

---

Evetts *et al.* (2000) give the following table:

likelihood ratio	verbal equivalent
$1 < LR \leq 10$	limited support for $H_p$
$10 < LR \leq 100$	moderate support for $H_p$
$100 < LR \leq 1000$	moderately strong support for $H_p$
$1000 < LR \leq 10000$	strong support for $H_p$
$10000 < LR$	very strong support for $H_p$

179 is in the middle of this range - thus implying moderately strong support for  $H_p$ .

Statistics in Practice – p.17/19

## Conclusions

---

A career in forensic statistics:

- has variety of challenging problems.
- Is in a growing field (FSS just recruited).

But:

- Is difficult to operate in, particularly independently.
- **Really need institutional support.**

Statistics in Practice – p.19/19

## Case work

---

The Tinley case was unusual but:

- Most have distinct features.
- **Many revolve around “comparison” problems.**

Academia one of the best occupations for those involved in this sort of work:

- Quite often your conclusions favour the side who has not employed you.
- You can become quite unpopular with both sides.

Statistics in Practice – p.18/19